

**Section 1 - Identification of The Material and Supplier**

International Quadratics Pty Ltd  
12 Gatwood Close  
Padstow, NSW 2211

Phone: 02 9774 5550  
Fax: 02 9774 5552  
www.interquad.com.au

**Chemical nature:** Water solution of ingredients.  
**Trade Name:** **IQ Metal Free Algaecide**  
**APVMA Code:** 54331  
**Product Use:** Controls bacteria, viruses and protozoa in swimming pools and spas.  
**Creation Date:** **April, 2010**  
**This version issued:** **January, 2011** and is valid for 5 years from this date.

**Section 2 - Hazards Identification****Statement of Hazardous Nature**

This product is classified as: Xi, Irritating. N, Dangerous to the environment. Hazardous according to the criteria of SWA.

Not a Dangerous Good according to the Australian Dangerous Goods (ADG) Code.

**Risk Phrases:** R40, R51, R36/37/38. Limited evidence of a carcinogenic effect. Toxic to aquatic organisms.

Irritating to eyes, respiratory system and skin.

**Safety Phrases:** S23, S26, S28, S36, S38, S61, S24/25. Do not breathe vapours or mists. In case of contact with eyes, rinse immediately with plenty of water and contact a doctor or Poisons Information Centre. After contact with skin, wash immediately with plenty of soap and water. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid release to the environment. Refer to special instructions/Safety Data Sheets. Avoid contact with skin and eyes.

**SUSMP Classification:** S5

**ADG Classification:** None allocated. Not a Dangerous Good under the ADG Code.

**UN Number:** None allocated

**Emergency Overview**

**Physical Description & Colour:** Clear colourless liquid.

**Odour:** No odour.

**Major Health Hazards:** limited evidence of a carcinogenic effect, irritating to eyes, respiratory system and skin.

**Potential Health Effects****Inhalation:**

**Short Term Exposure:** Available data indicates that this product is not harmful. However product is an inhalation irritant. Symptoms may include headache, irritation of nose and throat and increased secretion of mucous in the nose and throat. Other symptoms may also become evident, but they should disappear after exposure has ceased.

**Long Term Exposure:** No data for health effects associated with long term inhalation.

**Skin Contact:**

**Short Term Exposure:** Available data indicates that this product is not harmful. It should present no hazards in normal use. However product is a skin irritant. Symptoms may include itchiness and reddening of contacted skin. Other symptoms may also become evident, but all should disappear once exposure has ceased.

**Long Term Exposure:** No data for health effects associated with long term skin exposure.

**Eye Contact:**

**Short Term Exposure:** This product is an eye irritant. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment may cause permanent damage.

**Long Term Exposure:** No data for health effects associated with long term eye exposure.

**Ingestion:**

**Short Term Exposure:** Significant oral exposure is considered to be unlikely. However, this product is an oral irritant. Symptoms may include burning sensation and reddening of skin in mouth and throat. Other symptoms may also become evident, but all should disappear once exposure has ceased.

**Long Term Exposure:** No data for health effects associated with long term ingestion.

### Carcinogen Status:

**SWA:** Simazine is classified by SWA as a Class 3 Carcinogen, possibly carcinogenic to humans.

See the SWA website for further details. A web address has not been provided as addresses frequently change.

**NTP:** No significant ingredient is classified as carcinogenic by NTP.

**IARC:** Simazine is Class 3 - unclassifiable as to carcinogenicity to humans.

See the IARC website for further details. A web address has not been provided as addresses frequently change.

## Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Conc,%	TWA (mg/m <sup>3</sup> )	STEL (mg/m <sup>3</sup> )
simazine	122-34-9	35g/L	not set	not set
Poly(oxyethylene) (dimethylimino) ethylene (dimethylimino) ethylene dichloride	31512-74-0	300g/L	not set	not set
Other non hazardous ingredients	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

## Section 4 - First Aid Measures

### General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this MSDS with you when you call.

**Inhalation:** If irritation occurs, contact a Poisons Information Centre, or call a doctor. Remove source of contamination or move victim to fresh air. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. In severe cases, symptoms of pulmonary oedema can be delayed up to 48 hours after exposure.

**Skin Contact:** Wash gently and thoroughly with warm water (use non-abrasive soap if necessary) for 10-20 minutes or until product is removed. Under running water, remove contaminated clothing, shoes and leather goods (e.g. watchbands and belts) and completely decontaminate them before reuse or discard. If irritation persists, repeat flushing and seek medical attention.

**Eye Contact:** Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 minutes or until the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.

## Section 5 - Fire Fighting Measures

**Fire and Explosion Hazards:** There is no risk of an explosion from this product under normal circumstances if it is involved in a fire.

Only small quantities of decomposition products are expected from this product at temperatures normally achieved in a fire. This will only occur after heating to dryness.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

**Extinguishing Media:** Not Combustible. Use extinguishing media suited to burning materials.

**Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade.

**Flash point:** Does not burn.

**Upper Flammability Limit:** Does not burn.

**Lower Flammability Limit:** Does not burn.

**Autoignition temperature:** Not applicable - does not burn.

**Flammability Class:** Does not burn.

## Section 6 - Accidental Release Measures

**Accidental release:** In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective clothing including eye/face protection. All skin areas should be covered. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8).

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

## Section 7 - Handling and Storage

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this MSDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Some liquid preparations settle or separate on standing and may require stirring before use. Check packaging - there may be further storage instructions on the label.

## Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

### SWA Exposure Limits

### TWA (mg/m<sup>3</sup>)

### STEL (mg/m<sup>3</sup>)

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

The ADI for simazine is set at 0.005mg/kg/day. The corresponding NOEL is set at 0.5mg/kg/day. ADI means Acceptable Daily Intake; NOEL means No-observable-effect-level. Taken from Australian ADI List, Dec 2008.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

**Ventilation:** This product should only be used in a well ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

**Eye Protection:** Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash facilities are also recommended in an area close to where this product is being used.

**Skin Protection:** Prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered. See below for suitable material types.

**Protective Material Types:** We suggest that protective clothing be made from the following materials: rubber, PVC.

**Respirator:** Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above.

Eyebaths or eyewash stations and safety deluge showers should be provided near to where this product is being used.

## Section 9 - Physical and Chemical Properties:

**Physical Description & colour:** Clear colourless liquid.

**Odour:** No odour.

**Boiling Point:** Approximately 100°C at 100kPa.

<b>Freezing/Melting Point:</b>	Below 0°C.
<b>Volatiles:</b>	Water component.
<b>Vapour Pressure:</b>	2.37 kPa at 20°C (water vapour pressure).
<b>Vapour Density:</b>	No data.
<b>Specific Gravity:</b>	No data.
<b>Water Solubility:</b>	Completely soluble in water.
<b>pH:</b>	No data.
<b>Volatility:</b>	No data.
<b>Odour Threshold:</b>	No data.
<b>Evaporation Rate:</b>	No data.
<b>Coeff Oil/water Distribution:</b>	No data
<b>Autoignition temp:</b>	Not applicable - does not burn.

## Section 10 - Stability and Reactivity

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

**Conditions to Avoid:** Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

**Incompatibilities:** strong oxidising agents, anionic surfactants.

**Fire Decomposition:** Only small quantities of decomposition products are expected from this product at temperatures normally achieved in a fire. This will only occur after heating to dryness. Combustion forms carbon dioxide, and if incomplete, carbon monoxide and smoke. Water is also formed. May form nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. May form hydrogen chloride gas, other compounds of chlorine. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

**Polymerisation:** This product will not undergo polymerisation reactions.

## Section 11 - Toxicological Information

**Toxicity:** An information profile for Simazine is available at <http://extoxnet.orst.edu/pips/ghindex.html>

**Acute toxicity:** The reported oral LD<sub>50</sub> for technical Simazine in rats and mice is >5000 mg/kg; its dermal LD<sub>50</sub> is 3100 mg/kg in rats and > 10,000 mg/kg in rabbits. The 4-hour inhalation LC<sub>50</sub> in rats is greater than 2 mg/L. The formulated products, in most cases, are less toxic via all routes. Simazine is nonirritating to the skin and eyes of rabbits except at high doses. Symptoms exhibited by poisoned sheep included lower food intake, higher water intake, incoordination, tremors, and weakness, especially in the hindquarters.

**Chronic toxicity:** Some 90-day feeding studies showed reduced body weight at 67 to 100 mg/kg/day. This same effect and kidney toxicity were seen in rats at doses of 150 mg/kg/day. In 2-year chronic oral feeding studies in which rats were given daily dosages of 5 mg/kg/day of Simazine in the diet, no gross or microscopic signs of toxicity were seen. When rats were given repeated doses of 15 mg/kg/day, some liver cells degenerated during the first 3 days, but the condition did not progress. Instead, the liver adapted and the compound was metabolized. Other effects observed in test animals include tremors, damage to the testes, kidneys, liver, and thyroid, disturbances in sperm production, and gene mutations.

**Reproductive effects:** No adverse effects on reproductive capacity or development were observed in a three-generation study of rats fed 5 mg/kg/day Simazine. Reproductive effects are not likely in humans under normal circumstances.

**Teratogenic effects:** No dose-related teratogenic effects were observed when rabbits were given daily doses of 5, 75, or 200 mg/kg for days 7 through 19 of pregnancy. Simazine does not appear to be teratogenic.

**Mutagenic effects:** Simazine has shown negative results in a variety of mutagenicity tests on bacterial cultures. It is likely that Simazine is either nonmutagenic or weakly mutagenic.

**Carcinogenic effects:** Simazine was not tumorigenic in mice at the maximum tolerated dose of 215 mg/kg/day over an 18-month period. In other studies, doses as low as 5 mg/kg/day produced excess tumours (thyroid and mammary) in female rats. Because of inconsistencies in the data, it is not possible to determine Simazine's carcinogenic status.

**Organ toxicity:** Damage to the testes, kidneys, liver, and thyroid has been observed in test animals.

**Fate in humans and animals:** Studies in rats, goats, and sheep reveal that 60 to 70% of the ingested dose may be absorbed into the system, with approximately 5 to 10% distributed systemically to tissues. The remainder is eliminated via urine within 24 hours. It has been reported that Simazine residues were present in the urine of sheep for up to 12 days after administration of a single oral dose. The maximum concentration in the urine occurred from 2 to 6 days after administration. There is no data to hand indicating any particular target organs.

**Classification of Hazardous Ingredients**

Ingredient	Risk Phrases
Simazine	Conc>=1%: Xn; R40

**Section 12 - Ecological Information**

This product is toxic to aquatic organisms. Insufficient data to be sure of status.

**Effects on birds:** Simazine is practically nontoxic to birds. The reported LD<sub>50</sub> values in mallard and Japanese quail are >4600 mg/kg and 1785 mg/kg, respectively. Similar high values are reported for other species.

**Effects on aquatic organisms:** Simazine is very toxic to aquatic organisms.

**Effects on other organisms:** While many mammals may be insensitive to Simazine, sheep and cattle are especially sensitive. Simazine is nontoxic to bees. A soil LC<sub>50</sub> in earthworms of >1000 mg/kg has been reported.

**Environmental Fate:**

**Breakdown in soil and groundwater:** Simazine is moderately persistent with an average field half-life of 60 days. Soil half-lives of 28-149 days have been reported. Residual activity may remain for a year after application (2 to 4 kg/ha) in high pH soils. Simazine is moderately to poorly bound to soils. It does, however, adsorb to clays and mucks. Its low water solubility, however, makes it less mobile, limiting its leaching potential.

**Breakdown in water:** The average half-life of Simazine in ponds where it has been applied is 30 days, with the actual half-life dependent on the level of algae present, the degree of weed infestation, and other factors. Simazine may undergo hydrolysis at lower pH. It does not readily undergo hydrolysis in water at pH = 7.

**Breakdown in vegetation:** Plants absorb Simazine mainly through the roots, with little or no foliar penetration. From the roots, it is translocated upward to the stems, leaves, and growing shoots of the plant. It acts to inhibit photosynthesis. Resistant plants readily metabolize Simazine. Plants that are sensitive to Simazine accumulate it unchanged. It is possible that livestock or wildlife grazing on these plants could be poisoned.

**Section 13 - Disposal Considerations**

**Disposal:** This product may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to separate the contamination in some way. Only if neither of these options is suitable, consider landfill.

**Section 14 - Transport Information**

**ADG Code:** This product is not classified as a Dangerous Good. No special transport conditions are necessary unless required by other regulations.

**Section 15 - Regulatory Information**

**AICS:** All of the significant ingredients in this formulation are compliant with NICNAS regulations.

**Section 16 - Other Information**

**This MSDS contains only safety-related information. For other data see product literature.**

**Acronyms:**

<b>ADG Code</b>	Australian Code for the Transport of Dangerous Goods by Road and Rail (7 <sup>th</sup> edition)
<b>AICS</b>	Australian Inventory of Chemical Substances
<b>SWA</b>	Safe Work Australia, formerly ASCC and NOHSC
<b>CAS number</b>	Chemical Abstracts Service Registry Number
<b>Hazchem Code</b>	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
<b>IARC</b>	International Agency for Research on Cancer
<b>NOS</b>	Not otherwise specified
<b>NTP</b>	National Toxicology Program (USA)
<b>R-Phrase</b>	Risk Phrase
<b>SUSMP</b>	Standard for the Uniform Scheduling of Medicines & Poisons
<b>UN Number</b>	United Nations Number

THIS MSDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS MSDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS. OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.



## MATERIAL SAFETY DATA SHEET

Page: 6 of 6

This revision issued: April, 2011

**Product Name: IQ Metal Free Algaecide**

Please read all labels carefully before using product.

This MSDS is prepared in accord with the SWA document "National Code of Practice for the Preparation of Material Safety Data Sheets" 2nd Edition [NOHSC:2011(2003)]

Copyright © Kilford & Kilford Pty Ltd, January, 2011.

<http://www.kilford.com.au/> Phone (02)9251 4532